

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(spooler\$5 adj4 convert\$5 (print adj2 data print adj2 job)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:15
		((separat\$5 segregat\$5 divid\$5 allocat\$5) with (print\$5 adj2 (job data\$5)) with control adj3 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:15
		((separat\$5 segregat\$5 divid\$5 allocat\$5) with (print\$5 adj2 (job data\$5)) with control adj3 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:15
		(separat\$5 segregat\$5 divid\$5 allocat\$5) with (print\$5 adj2 (job data\$5)) control adj3 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:15
		(separat\$5 segregat\$5 divid\$5 allocat\$5) with (print\$5 adj2 with control adj3 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:14
		(separat\$5 segregat\$5 divid\$5 allocat\$5) with (print\$5 adj2 with control adj3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:14
		S21 and @ad<20000358/1.11-1.15, 358/1.9).ccls. "124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 15:27
		3and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 10:02
		(print\$5 adj2 (request\$5 job\$5 data\$5)) near5 (type\$5 format\$5) with (decid\$5 determin\$5 analyz\$5) same (postscript\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 10:01

		(interactive\$5 adj2 print\$5 adj2 (request\$5 data)) with (mutual\$5 direct\$5) near4 (communication\$5 connect\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:34
		(bypass\$5 adj2 print\$5 adj2 (job\$5 data\$5 request\$5)) same (post adj2 script\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 16:31
		1and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 14:15
S1	6175	(print\$5 adj2 (request\$5 job\$5 data\$5)) near5 (type\$5 format\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 10:00
S2	655	(print\$5 adj2 (request\$5 job\$5 data\$5)) near5 (type\$5 format\$5) with (decid\$5 determin\$5 analyz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 10:01
S3	24	(print\$5 adj2 (request\$5 job\$5 data\$5)) near5 (type\$5 format\$5) with (decid\$5 determin\$5 analyz\$5) same (postscript\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 10:02
S4	10	S3 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 10:02
S5	2	("6476930").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 11:10
S6	2	("6476930").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 11:16

S7	2	("6476930").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 13:03
S8	4	appletalk\$5 with print\$5 adj2 data\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 13:47
S9	79	appletalk\$5 with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 13:47
S10	54	S9 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 14:10
S11	2	("6476930").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 14:04
S12	39	(interrupt\$5 adj2 (stop\$5 adj2 transmission\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 14:05
S13	2	(interrupt\$5 adj2 (stop\$5 adj2 transmission\$5)) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 14:09
S14	29	S12 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 14:24
S15	1051	(print\$5 adj2 data\$5) with (interrupt\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 14:11
S16	3	(print\$5 adj2 data\$5) with (interrupt\$5) same (stop\$5 adj2 transmi\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 14:23

S17	126	(print\$5 adj2 data\$5) with (interrupt\$5) same (stop\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 14:24
S18	102	S17 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 15:13
S19	12	(postscript\$5 with interrupt\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 15:10
S20	1741	interrupt\$5 with (print\$5 adj2 (job\$5 data\$5 request\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 15:11
S21	198	interrupt\$5 with (print\$5 adj2 (job\$5 data\$5 request\$5)) same (stop\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 15:12
S22	147	S21 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 15:29
S23	11455	(358/1.11-1.15, 358/1.9).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 15:27
S24	45	(print\$2 adj2 (job\$5 request\$5 order\$5) with (direct\$5 adj2 communication\$5)) and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 15:29
S25	24	S23 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 15:29
S26	24	S25 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 15:29

S27	2	("20010022668").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 17:34
S28	382	printer\$5 with bypass\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 17:13
S29	240	(printer\$5 with bypass\$5) and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 13:52
S30	1156	appletalk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 17:36
S31	35	interactiv\$5 adj2 print\$5 adj2 job\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 14:25
S32	2	("20010022668").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/24 12:09
S33	82	(bypass\$4 with (print\$5 adj2 (job\$5 data\$5) postscript\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 14:15
S34	51	((bypass\$4 with (print\$5 adj2 (job\$5 data\$5) postscript\$5))) and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 14:45
S35	10	(mutual\$4 adj2 communication\$5) with print\$4 adj2 (job\$2 data\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 14:41
S36	128	((mutual\$4 direct\$5) adj2 communication\$5) with print\$4 adj2 (job\$2 data\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 14:44

S38	51	((bypass\$4 with (print\$5 adj2 (job\$5 data\$5) postscript\$5))) and @ad<"20000124") and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 14:45
S39	83	((direct\$5 adj2 communication\$5) with print\$4 adj2 (job\$2 data\$4)) and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 13:58
S40	8	"5898823".URPN.	USPAT	OR	ON	2004/09/27 14:57
S41	11	((("6111994") or ("6088454") or ("5937395") or ("5933528") or ("5828794") or ("5757961") or ("5748777") or ("5694486") or ("5666471") or ("5600720") or ("5561534"))).PN.	USPAT; USOCR	OR	OFF	2004/09/27 16:30
S42	0	(bypass\$5 with print\$5 adj2 (job\$5 data\$5 request\$5)) with (post adj2 script\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 16:38
S43	47	print\$4 adj2 job\$5 with (interactiv\$5 postscript\$5) with (bypass\$5 direct\$5 mutual\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 16:39
S44	15	(print\$4 adj2 job\$5 with (interactiv\$5 postscript\$5) with (bypass\$5 direct\$5 mutual\$5)) and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 16:56
S45	73	(direct\$4 adj2 print\$5) with (postscript\$5 interactiv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 16:56
S46	30	((direct\$4 adj2 print\$5) with (postscript\$5 interactiv\$5)) and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:02
S47	3	(bypass\$5 with print\$5) with (interactiv\$5 postscript\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 17:15

S48	4240	mutual\$5 adj2 communication\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 17:37
S49	10	mutual\$5 adj2 communication\$5 with (print\$5 adj2 (request\$5 job\$5 data\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 17:41
S50	0	(print\$5 adj2 job\$5) with (interactiv\$5 adj2 format\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 17:58
S51	6	print\$5 adj2 job\$5 with (mutual\$5 adj2 communication\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 17:51
S52	0	(print\$5 adj2 job\$5) with (postscript\$5 adj2 format\$5) with (bypass\$4 mutual\$5 direct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 17:59
S53	6	(print\$5 adj2 job\$5) with (postscript\$5 adj2 format\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:01
S54	26	(print\$5 adj2 job\$5) with (postscript\$5) with (direct\$5 bypass\$5 direct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:02
S55	50	direct\$5 adj3 print\$5 with (postscript\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:03
S56	6	((print\$5 adj2 job\$5) with (postscript\$5) with (direct\$5 bypass\$5 direct\$5)) and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:02
S57	22	(direct\$5 adj3 print\$5 with (postscript\$5)) and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:13

S58	0	(print\$5 adj2 (job\$5 request\$5)) with (bypass\$5 adj2 spool\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:04
S59	8	(print\$5 adj2 (job\$5 request\$5)) with postscript\$5 adj2 format\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:13
S60	15	(print\$5 adj2 (job\$5 request\$5)) with postscript\$5 same head\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:13
S61	1	((print\$5 adj2 (job\$5 request\$5)) with postscript\$5 same head\$5) and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:25
S62	24	(interactiv\$5 adj2 print\$4) with (direct\$5 mutual\$5 bypass\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:15
S63	24	(interactiv\$5 adj2 print\$4) with (direct\$5 mutual\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:22
S64	192	(print\$5 adj2 (job\$2 request\$5 order\$5)) same (mutual\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:25
S65	82	(print\$5 adj2 (job\$2 request\$5 order\$5)) with (mutual\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:25
S66	50	((print\$5 adj2 (job\$2 request\$5 order\$5)) with (mutual\$2)) and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:34
S67	6	print\$2 adj2 (job\$5 request\$5 order\$5) with (mutual\$5 adj2 communication\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:33

S68	65	print\$2 adj2 (job\$5 request\$5 order\$5) with (direct\$5 adj2 communication\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:33
S69	0	(interactive\$5 adj2 print\$5 adj2 (request\$5 data)) with (mutual\$5 direct\$5) near4 (communication\$5 connect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:34
S70	2	(determin\$5 analyz\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5 information\$5)) near4 (post adj2 script\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:43
S71	395	(determin\$5 analyz\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5 information\$5)) with (language\$5 postscript\$5 pcl pdl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:44
S72	254	(determin\$5 analyz\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5 information\$5)) near4 (language\$5 postscript\$5 pcl pdl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:45
S73	141	(determin\$5 analyz\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5)) adj4 type\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:46
S74	77	((determin\$5 analyz\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5)) adj4 type\$5) and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:46
S75	118	(determin\$5 analyz\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5)) adj4 language\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:53
S76	66	((determin\$5 analyz\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5)) adj4 language\$5) and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:53
S77	22	((((determin\$5 analyz\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5)) adj4 language\$5) and @ad<"20000124") and postscript\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:48

S78	159	(determin\$5 analyz\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5)) adj4 format\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:55
S79	79	((determin\$5 analyz\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5)) adj4 format\$5) and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:53
S80	2	(determin\$5 analyz\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5)) adj4 interactive\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:56
S81	12	(determin\$5 analyz\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5)) with (postscript\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 18:58
S82	1	(decid\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5)) with (postscript\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 09:51
S83	2	("5898823").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 10:54
S84	126	(direct\$5 adj2 communication\$5) with print\$4 adj2 (job\$2 data\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:19
S85	2	("5898823").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 13:29
S86	9	("5898823").URPN.	USPAT	OR	ON	2005/03/14 13:29
S87	9	(bypass\$5 adj2 (server\$5 spool\$5)) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 13:53
S88	0	(direct\$5 adj2 communicat\$5) with (client\$5 near4 printer\$5) same (event\$5 adj2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 13:54

S89	0	(direct\$5 adj2 communicat\$5) same (client\$5 near4 printer\$5) same (event\$5 adj2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 13:54
S90	3	("5227778" "5278829" "5388213").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/14 13:55
S91	0	(separat\$5 segregat\$5) adj4 (print\$5 adj2 data with non adj2 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:02
S92	2	(separat\$5 segregat\$5) adj4 (job adj2 data with control adj2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:03
S93	6	(separat\$5 segregat\$5) with (job adj2 data with control adj2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:04
S94	4	S93 not S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:04
S95	5203	(separat\$5 segregat\$5) with (control adj2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:05
S96	0	host adj2 computer\$5 adj4 (separat\$5 segregat\$5) with (control adj2 data) same print	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:05
S97	3	computer\$5 adj4 (separat\$5 segregat\$5) with (control adj2 data) same print\$5 adj2 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:06
S98	38	(separat\$5 segregat\$5) with (control adj2 data) with print\$5 adj2 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:07

S99	27	S98 and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:10
S10 0	242	bypass\$5 adj2 print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:10
S10 1	170	S100 and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:15
S10 2	162	((separat\$5 segregat\$5 divid\$5 allocat\$5) with (print\$5 adj2 (job data\$5) with control adj3 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:15
S10 3	123	S102 and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:15
S10 4	38	(spooler\$5 with convert\$5 with (PDL PCL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:15
S10 5	46435	(spooler\$5 adj4 convert\$5 (print adj2 data print adj2 job))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:15
S10 6	10	(spooler\$5 adj4 convert\$5 adj4 (print adj2 data print adj2 job))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:17
S10 7	7	S106 and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:17
S10 8	16	(spooler\$5 adj4 convert\$5 with (print adj2 data print adj2 job))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:26

S10 9	9	S108 and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:27
S11 0	2	(spooler\$5 adj4 convert\$5 with (PDL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:31
S11 1	109	(spooler\$5 with (PDL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:27
S11 2	53	S111 and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:27
S11 3	89	(spooler\$5 adj4 convert\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:27
S11 4	35	S113 and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:31
S11 5	36	(spooler\$5 with convert\$5 with (PDL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:31
S11 6	20	S115 and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:38
S11 7	6	server\$5 adj2 convert\$5 adj2 PDL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:38
S11 8	19	server\$5 adj2 convert\$5 adj2 print adj2 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:20

S119	3	S118 and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:58
S120	7	print adj2 server\$5 with convert\$5 with print adj2 data with (PCL pdl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:56
S121	0	print adj2 server\$5 with rendering\$5 adj2 intent\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:57
S122	13	print adj2 server\$5 with color adj2 convers\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:57
S123	16	print adj2 server\$5 same color adj2 convers\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:58
S124	2	S123 and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 17:00
S125	23	print adj2 server\$5 with process\$5 with attribut\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 17:00
S126	11	S125 and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 17:00
S127	2	("6509975").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 17:19